

AMENDMENTS TO THE SPECIFICATION

**Please amend paragraph [0115] as follows:**

[0115]        The term “computer-readable medium” as used herein refers to any storage medium that participates in providing instructions to processor 804 for execution. Such a storage medium may take many forms, including but not limited to, non-volatile media<sup>[7]</sup> and volatile media, ~~and transmission media~~. Non-volatile media includes, for example, optical or magnetic disks, such as storage device 810. Volatile media includes dynamic memory, such as main memory 806. ~~Transmission media includes coaxial cables, copper wire and fiber optics, including the wires that comprise bus 802. Transmission media can also take the form of acoustic or light waves, such as those generated during radio wave and infra red data communications.~~

**Please amend paragraph [0116] as follows:**

[0116]        Common forms of computer-readable media include, for example, a floppy disk, a flexible disk, hard disk, magnetic tape, or any other magnetic medium, a CD-ROM, any other optical medium, punchcards, papertape, any other physical medium with patterns of holes, a RAM, a PROM, and EPROM, a FLASH-EPROM, or any other memory chip or cartridge, ~~a carrier wave as described hereinafter, or any other medium from which a computer can read.~~

**Please amend paragraph [0119] as follows:**

[0119] Network link 820 typically provides data communication through one or more networks to other data devices. For example, network link 820 may provide a connection through local network 822 to a host computer 824 or to data equipment operated by an Internet Service Provider (ISP) 826. ISP 826 in turn provides data communication services through the world wide packet data communication network now commonly referred to as the "Internet" 828. Local network 822 and Internet 828 both use electrical, electromagnetic or optical signals that carry digital data streams. The signals through the various networks and the signals on network link 820 and through communication interface 818, which carry the digital data to and from computer system 800, are exemplary forms of carrier waves transporting the information.

**Please amend paragraph [0121] as follows:**

[0121] The received code may be executed by processor 804 as it is received, and/or stored in storage device 810, or other non-volatile storage for later execution. In this manner, computer system 800 may obtain application code in the form of a carrier wave.